


Vicini

C A T A L O G U E



↙
Vicini Porte yesterday.

During the fifties, Mr. Ernesto Vicini undertook a small artisan factory producing lift-doors.

In 1961, the “ERNESTO VICINI” company was settled in Brugherio, near Milan, applying its experience in the industrial production of swing doors and cabins. During the years, together with a strong growth of the demand, the firm decided to concentrate its efforts on the manufacturing of swing doors.


The Brugherio plant kept working until the end of 1999.



Vicini

Vicini

Vicini



Welcome today.

In January 2000 Vicini & C. S.r.l. moved to a new site in Concorezzo (Mi), extended over more than 10.000 sq. m, with a manufacturing area for lift doors of more than 3.000 sq. m.

In the last 5 years the market pushed the company to a greater visibility: Vicini every year takes part in different international exhibitions and created a new show-room where visitors and customers can take note of all the different door types and solutions the firm is able to offer.

SINGLE-LEAF DOORS

↙ M/100



Single-leaf sheet-metal door, double wallet depth mm. 51, with self lubricating invisible hinges. Semi-automatic, with damper and spring closing system.
Rust proofing finish RAL 7001

M/100
With window
Regulation comply EN 81 and 95/16/CE
Size mm. 100x600

- Equipped with interlock:
- AK
 - Kronenberg
 - Prudhomme
 - Robertelli

↙ M/10



Single-leaf sheet-metal door, double wallet depth mm. 51, with self lubricating invisible hinges. Semi-automatic, with damper and spring closing system.
Rust proofing finish RAL 7001

M/10
Without window
Regulation comply EN 81 and 95/16/CE

- Equipped with interlock:
- AK
 - Kronenberg
 - Proudhomme
 - Robertelli

↙ M/40



Single-leaf sheet-metal door, double wallet depth mm. 51, with self lubricating invisible hinges. Semi-automatic, with damper and spring closing system.
Rust proofing finish RAL 7001

M/40
With window
Regulation comply 95/16/CE
Size mm. 150x1170

- Equipped with interlock:
- AK
 - Kronenberg
 - Prudhomme
 - Robertelli

↙ M/20



Single-leaf sheet-metal door, double wallet depth mm. 51, with self lubricating invisible hinges. Semi-automatic, with damper and spring closing system.
Rust proofing finish RAL 7001

M/20
With round window
Regulation comply EN 81 and 95/16/CE
Diameter mm. 150

- Equipped with interlock:
- AK
 - Kronenberg
 - Prudhomme
 - Robertelli

↓
PANORAMICA



Single-leaf sheet-metal door, double wallet depth mm. 51, with self lubricating invisible hinges. Semi-automatic, with damper and spring closing system. Rust proofing finish RAL 7001

PANORAMICA with window Regulation 96/16/CE

Model	Window size	
M/300	300x1600	until C.O. 699
M/420	420x1600	until C.O. 799
M/500	500x1600	until C.O. 899
M/620	620x1600	until C.O. 999

Equipped with interlock:

- AK
- Kronenberg
- Prudhomme
- Robertelli



PANORAMIC DOORS



Semi-automatic closing system by spring and chain



Security interlock on door panel, with key cylinder on floor side and rotating shell on shaft side (as per regulations)



Security interlock on door panel, 5 pivots armoured, with key-loop

EXTRA LIGHT

↘ VSG/90



Single-leaf door, with full crystal transparent leaf, iron frame with stainless steel cladding, stainless steel hinges and handles. Semi-automatic, with built-in lintel arm damper automatism.

VSG 90
Regulation EN 81 and 95/16/CE

Equipped with interlock:

- Kronenberg
- Prudhomme

Leaves are made of stratified and tempered crystal, depth 8+8+0.76, in the following versions:

- Transparent
- Acid/satin/sand-blasted
- Smoke/bronze/stop-sun
- Double-facing mirror





↘
AB/100



TWO-LEAVES AUTOMATIC door
Double-wallet sheet-metal depth 60 mm.
(Upper frame depth mm. 96)
Rust proofing finish RAL 7001

AB/100
With windows, regulation EN81 and
95/16/CE
Size mm. 100x600

TWO-LEAVES AUTOMATIC



REI 60_120

↘ TGF-1



Single-leaf sheet-metal door, double wallet depth mm. 60, insulated as per Certification, with invisible hinges on ball bearings. Semi-automatic, with damper and spring closing system. Rust proofing finish RAL 7001

SINGLE-LEAF DOORS	CLASS
TGF - 1/60	REI - 60
TGF - 1/120	REI - 120


TWO-LEAVES	CLASS
TGF - 2/60	REI - 60
THF - 2/120 E	REI - 120

Equipped with interlock:

- Kronenberg



↘ TGF 2



NoFire!

2 LEAVES

↘
C/201



↘
C/202



↘
C/203



↘
E/221



↘
E/222



↘
E/223



↘
D/4 E/222



↘
ATS/2



↘
ATS/4





CLADDING STAINLESS STEEL _ ALUMINIUM



13SD - SATIN STAINLESS (DOTS)




5WL - BA STAINLESS (RICE GRAIN)




9EH - BA STAINLESS (SKIN)




12LG - BA STAINLESS (LEATHER)




NATURAL SILVER 22



GOLD 26



SQUARES - BA STAINLESS



CHECKS - BA STAINLESS



CANVAS - BA STAINLESS



2WL - BA STAINLESS



GOLD 24



BRONZE 28

Representation of colors is to be considered approximate because of the differences caused by "offset stamp".
For an accurate reproduction of the materials, please see the original samples.



CLADDING PLASTIC LAMINATES



1205



1270



1932



3078



4510



0593



1219



1286



1934



4070



3159



3151

Representation of colors is to be considered approximate because of the differences caused by "offset stamp".
For an accurate reproduction of the materials, please see the original samples.



RAL COLORS



ral 1001	ral 1002	ral 1004	ral 1005	ral 1006
ral 1007	ral 1011	ral 1012	ral 1013	ral 1014
ral 1015	ral 1017	ral 1018	ral 1019	ral 1020
ral 1021	ral 1023	ral 1028	ral 1032	ral 1033
ral 1034	ral 2000	ral 2001	ral 2002	ral 2003
ral 2004	ral 2008	ral 2009	ral 2011	ral 2012
ral 3000	ral 3001	ral 3002	ral 3003	ral 3004
ral 3005	ral 3009	ral 3012	ral 3013	ral 3014
ral 3015	ral 3016	ral 3017	ral 3018	ral 3020
ral 3022	ral 3027	ral 3031	ral 4001	ral 4002
ral 4003	ral 4004	ral 4005	ral 4006	ral 4007
ral 4008	ral 4009	ral 5001	ral 5002	ral 5003
ral 5004	ral 5007	ral 5009	ral 5010	ral 5012
ral 5013	ral 5014	ral 5015	ral 5017	ral 5018

Representation of colors is to be considered approximate because of the differences caused by "offset stamp".
For an accurate reproduction of the materials, please see the original samples.

ALL DOORS REQUIRED WITH RAL BACKED VARNISHING WILL BE EXECUTED WITH ORANGE PEEL FINISH (goffering), USING EPOXIDIC SEMI-POLISHED STOVE-ENAMELLING

ral 5019	ral 5020	ral 5022	ral 5024	ral 6000	ral 6001
ral 6002	ral 6003	ral 6004	ral 6005	ral 6006	ral 5021
ral 6007	ral 6009	ral 6010	ral 6011	ral 6012	ral 6013
ral 6014	ral 6016	ral 6017	ral 6018	ral 6019	ral 6020
ral 6021	ral 6024	ral 6025	ral 6026	ral 6027	ral 6028
ral 6029	ral 6033	ral 6034	ral 7000	ral 7001	ral 7003
ral 7006	ral 7011	ral 7015	ral 7016	ral 7021	ral 7023
ral 7024	ral 7026	ral 7030	ral 7031	ral 7032	ral 7033
ral 7034	ral 7035	ral 7036	ral 7037	ral 7038	ral 7040
ral 7042	ral 7043	ral 7044	ral 8000	ral 8001	ral 8002
ral 8003	ral 8004	ral 8007	ral 8011	ral 8012	ral 8014
ral 8015	ral 8016	ral 8017	ral 8019	ral 8023	ral 8024
ral 8025	ral 8028	ral 9001	ral 9002	ral 9004	ral 9005
ral 9006	ral 9010	ral 9011	ral 9016	ral 9017	ral 9018



ACCESSORIES

 1	 2	 3	 4	 5 Ø 26 - Ø 35
 6 mm. 100x300, 600 - 150x1170 - 300, 420, 500, 620x1600	 7 mm. 140 (80) - mm. 300 (240)	 8 mm. 300 (240)	 9	 10
 11 mm. 330 (300)	 12 mm. 400	 13 mm. 450 Ø30 (300)	 14 mm. 300 Ø30	 15 SPINGERE - PUSH - DRUKEN - STOSSEN - POUSSÉZ
 16 mm. 100x160 - mm. 120x130	 17	 18 AK-001 AK-200	 19 DLF-1.20	 20 DLF-1.40
 21 DLF 1.50	 22 DLF 1 EM 24V	 23 DLF 1.20 (40) IP54	 24 DLF 1.20 (40) IP67	 25 DLF 1.20 (40) EEX
 26 DLF 2.10	 27 R.11 R.12	 28 C080	 29 C080	 30 LR 128 E 24V
 31 DLF 2.10	 32 LR 180 L	 33 LR 180 P	 34 LR 180 E 24V	 35 CIL-C-00
 36 SPRINT	 37 EMT 13	 38 EMT 15K	 39 EMT 17	 40 EMT 81 EEX
 41 12-24V	 42 12-24V	 43 IP54	 44 DISPLAY	 45 mm. 14
 46	 47	 48	 49	 50

CERTIFICATES



UNIVERSITE DE LIEGE
SERVICE -PONTS & CHARPENTES-

UNIVERSITE DE LIEGE - INSTITUT DU GENIE CIVIL
G.C. - LIEGE a.s.b.l.
SERVICE PONTS ET CHARPENTES : PROF. R. BAUS
Quai Banning,6 - 4000 LIEGE - Tél. 41-66.93.46 - 41-66.93.51.
TV.A. 428.073.074 TELEFAX : 32- (41) - 66.95.34.



CERTIFICATE



Certificato Nr 50 100 0834

Si attesta che / This is to certify that

IL SISTEMA QUALITÀ DI
THE QUALITY SYSTEM OF

VICINI & C. SRL
VIA DEL LAVORO 32
I-20049 CONCOREZZO (MI)


È CONFORME AI REQUISITI DELLA NORMA
HAS BEEN FOUND TO CONFORM TO THE REQUIREMENTS

UNI EN ISO 9001:1994

Questo certificato è valido per il seguente campo di applicaz
This certificate is valid for the following product or service ra

Progettazione e produzione di porte a battente per
ascensori e montacarichi; commercializzazione di
accessori

Design and manufacture of sheet-steel doors for lifts
and goods-lifts; distribution of spare parts




Fire Resistance Test in Accordance
with Clause 8 of BS 476: Part 22: 1987
on a Single-Leaf, Being-Opening,
Lift Landing Doorset



The Professionals in Fire Safety

CERTIFICATO ◆ CERTIFICAT ◆ CERTIFICADO ◆ СВИДЕТЕЛЬСТВО





The logo for Vicini & C. Srl, featuring the word "Vicini" in a stylized, serif font. The letter "i" is unique, with a small circle above it that forms a partial ring. The logo is centered on a dark blue background.

Vicini

Vicini & C. Srl

Via del Lavoro, 32
20049 Concorezzo (Milano)
Italy

Phone

+39 0396886320

Fax

+39 0396886353

e-mail:

info@viciniporte.it

www.viciniporte.it